CURRENT STATUS OF THE CLAIMS

In the Claims

- (Currently amended) Method for the preparation of a meat substitute product which comprises protein, wherein:
 - a) a protein material, a hydrocolloid which precipitates with metal cations and water are combined.
 - b) the composition from step a) is formed into a homogenous mixture.
 - the <u>homogeneous</u> mixture from b) is mixed with a solution of a metal cation with a valency of at least 2, in order to form a fibrous product,
 - d) the fibrous product is isolated.

wherein the protein material comprises a milk protein material, and the <u>homogeneous</u> mixture of milk protein material, hydrocolloid which precipitates with metal cations, and water is formed <u>in step b</u>) in the presence of an amount of a calcium complex-forming agent.

 (Previously presented) Method according to claim 1, wherein a mixture of the protein material and water is made, the calcium complex-forming agent added to this mixture and then the hydrocolloid which precipitates with metal cations is introduced.

(Canceled)

- (Previously presented) Method according to claim 1, wherein the calcium complex-forming agent is a phosphate material.
- (Previously presented) Method according to claim 4, wherein the phosphate material is selected from alkali metal and ammonium salts of phosphoric acid or polyphosphoric acid.
- 6. (Currently amended) Method according to claim 5, wherein the phosphate material is sodium polyphosphate (NaPO₃)_n, wherein n [[~]] is about 25.

- (Previously presented) Method according to claim 1, wherein the amount
 of calcium complex-forming agent is at least sufficient to form a complex with free
 calcium ions which are present.
- (Previously presented) Method according to claim -4, wherein the amount of phosphate material is 0.1 – 1.5% by weight, based on the total of all the constituents of the homogenous mixture.
- (Previously presented) Method according to claim 1, wherein the hydrocolloid which precipitates with metal cations is present in an amount of 0.1 – 10% by weight, based on the total of all the constituents of the homogenous mixture.
- (Previously presented) Method according to claim 9, wherein the hydrocolloid which precipitates with metal cations is sodium alginate.
- 11. (Previously presented) Method according to claim 1, wherein the pH of the homogenous mixture of protein, hydrocolloid which precipitates with metal cations, calcium complex-forming agent and water is set to a value in the range from 4 7.
- (Previously presented) Method according to claim 1, wherein to prepare a product with a meat-type structure starting from milk protein material, the pH is set to a value between 5.0 and 7.0.
- 13. (Previously presented) Method according to claim 1, wherein to prepare a product with a fish-type structure starting from milk protein material, the pH is set to a value between 4.5 and 6.0
- 14. (Currently amended) Method according to claim 1, wherein a finishing material selected from is selected from the group consisting of flavouring, colouring and vegetable or animal fat, vegetable or animal protein, and/or mixtures and a mixture of two or more such materials is added to the homogenous mixture which has been formed.

15-20. (Canceled)

- (Currently amended) Method according to claim 1, wherein the fibrous product, after it has been formed and isolated, is pasteurized in order to be finished.
- (Previously presented) Method according to claim 1, wherein the fibrous product is packaged.
- 23. (Previously presented) Meat substitute product obtained using the method according to claim 1.
- (Currently amended) Savoury or sweet snack obtained by processing a fibrous product formed with the aid-of obtained by the method according to claim 1.
- (Original) Ready to consume meat substitute product obtained by culinary processing of a product according to claim 23.
- 26. (Currently amended) Method according to claim 1, wherein the milk protein material is selected from the group consisting of:
 - curd from cheesemaking
 - cheese
 - powdered milk
 - whey protein
 - alkali metal, alkaline-earth metal and ammonium caseinate: and combinations thereof.
- (Currently amended) Method according to claim 5, wherein the phosphate
 material is selected from the group consisting of disodium hydrogen phosphate, sodium
 hexametaphosphate and trisodium phosphate; and combinations thereof.